1 Um:

Each

Wednesday, 3/8/2006 10:46:27 AM Date Kim Johnston User: **Process Sheet** : 350/212/130 BASKET LID : CU-DAR001 Dart Helicopters Services **Drawing Name** Customer Job Number : 26149B : 10193 **Estimate Number** : N/A : D2512 Part Number P.O. Number : D2512 : D2512 REV DT DZ / 06.63.68 S.O. No. : N/A : 3/8/2006 This Issue **Drawing Number** : NC : N/A Project Number Prsht Rev. : NIA : LARGE FAB ASSY : DYDZ First Issue **Drawing Revision** : 25760B :NA Material **Previous Run Due Date** : 3/31/2006 Qty: Written By Checked & Approved By : Rev Est:M-03.01.31 Added D2012-117 for D130-701-041 Comment RF **Additional Product** Job Number: Seq. #: Description: M304TS0750W065 304 SQ Tube.75x.75x.065W 1.0 Comment: Qty.: 45.7594 f(s)/Unit Total: 45.7594 f(s) Pick: M100138->276.93" 3/4"x3/4" 304/316 SS tube .063" wall Batch: M100023 -> 246.6 CPL 06.03.20 (i)D31663 Basket Hoop 2.0 Comment: Qty.: 1.0000 Each(s)/Unit Total: 1.0000 Each(s) Pick: Batch **Qty Part Number** Description CPC 06.03.20 R25896 1 D3166-3 Basket Hoop 3.0 D2506 Placard Comment: Qty.: 1.0000 Each(s)/Unit Total: 1.0000 Each(s) Pick: **Qty Part Number** Description 1 D2506 Label Plate (i)

COL 06.03.20

4.0 D23271 Spacer Bushing

Comment: Qty.:

2.0000 Each(s)/Unit Total: 2.0000 Each(s)

Pick:

**Qty Part Number** Description

2 D2327-1 Bushing B24873

CPL 06.03.20

## **Dart Aerospace Ltd**

W/O:			WC	RK ORDER CHANG	ES				
DATE	STEP	PRO	OCEDURE CHA	NGE	Ву	By Date Qty Approva			Approval QC Inspector
Part No	:	PAR #:	Fault Cated	iorv:	NCR: Yes	No DQA	\:	Date:	
								_ Date: _	
NCR:			WORK ORDE	R NON-CONFORMA	NCE (NCF	R)			
DATE	STEP	Description of NC		Corrective Action Section		Verific	ation	Approval	Approval
DATE	SIEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Section		Chief Eng	QC Inspector
				-					
									-
								-	

NOTE: Date & initial all entries

Wednesday, 3/8/2006 10:46:27 AM Date: User: Kim Johnston **Process Sheet** Drawing Name: 350/212/130 BASKET LID Customer: CU-DAR001 Dart Helicopters Services Job Number: 26149B Part Number: D2512 Job Number: Seq. #: Description: **Machine Or Operation:** Hinge 5.0 D22321 Total: Comment: Qtv.: 2.0000 Each(s)/Unit 2.0000 Each(s) Pick: **Qty Part Number** Description 2 D2232-1 Hinge plate CPL 06.03.20 0 6.0 D2581 Mounting Bracket Comment: Qty.: 2.0000 Each(s)/Unit Total: 2.0000 Each(s) Pick: Description **Qty Part Number** CPL06.03.20 2 D2581 Mounting Bracket 7.0 M304EX07516F Expanded Metal Flat Stai Comment: Qty.: 18.0000 sf(s)/Unit Total: 18.0000 sf(s) Pick: **Qty Part Number** Description Batch CPL 06.03.20 18 sf M304EX0.75-16F Expanded Metal <u>M / 0</u> o Z <u>3</u>0 8.0 LARGE FAB 1 LARGE FABRICATION RESOURCE 1 Comment: LARGE FABRICATION RESOURCE 1 CPC 06.03.280 1-Cut 3/4" x 3/4" square tubing as per Dwg D2512 2-Cut (4) D2236 From D3166-3 3-Drill holes in D2512-1 as per Dwg D2512 using Drill Jig DT8305 8 Basket on W 5-Weld as per Dwg D2512 using Welding Table and corner Jig Deburr as required

## **Dart Aerospace Ltd**

W/O:		WORK ORDER CHANGES	WORK ORDER CHANGES							
DATE STEP		PROCEDURE CHANGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector			
						- 1				
Part No	:	PAR #: Fault Category: NCI	<b>ર</b> : Yes <sub>(</sub>	No DQA	\:\ <del></del>	<u></u> Date: <u>⊘</u>	604/04			

QA: N/C Closed: \_\_\_\_ Date: \_\_\_\_

NCR:			WORK ORDER NON-CONFORMANCE (NCR)							
		STED Description of NC		Corrective Action Section B		Verification	Annroyal	Annaval		
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Section C	Approval Chief Eng	Approval QC Inspector		
				•						
		,								
					·					
		•								
								•		

NOTE: Date & initial all entries

Date: 5 Wednesday, 3/8/2006 10:46:27 AM Kim Johnston User: **Process Sheet** Drawing Name: 350/212/130 BASKET LID Customer: CU-DAR001 Dart Helicopters Services Job Number: 26149B Part Number: D2512 Job Number: Seq. #: Machine Or Operation: Description: DDIMENSIONAL & WELDING INSPECTION QC9/6 9.0 Comment: DDIMENSIONAL & WELDING INSPECTION POWDER COATING POWDER COATING 10.0 Comment: POWDER COATING Powder Coat White Gloss (Ref. 4.3.5.1) as per QSI 005 4.3 HAND FINISHING RESOURCE #1 11.0 Comment: HAND FINISHING RESOURCE #1 BB 30 Wing Walk and Spray Paint black as per Dwg D2512 and QSI 005 4.4 INSPECT POWDER COAT/CHEMICAL CONVERSION 12.0 QC3 Comment: INSPECT POWDER COAT/CHEMICAL CONVERSION Job Completion G 06.04.04

rospace Lt	d								
		WC	RK ORDER CHAN	GES					
STEP	PROCEDURE CHANGE			1	Зу	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
				ļ					
					_		-		
<u> </u>	PAR #:	Fault Cated	iorv:	NCR:	Yes N	lo <b>DQ</b>	Δ:	Date:	
		WORK ORDE	ER NON-CONFORM	MANCE (	NCR)				
	Description of NC		Corrective Action Se	ection B		Vorifi	action	Approval	Approval
STEP	Section A	Initial Chief Eng	Action Description Chief Eng	1 3	Sign & Date	1		Chief Eng	Approval QC Inspector
							•		
	,								·
	STEP	PAR #:  Description of NC	STEP PROCEDURE CHAIR  PAR #: Fault Category  WORK ORDER  STEP Description of NC Section A Initial	WORK ORDER CHAN  STEP PROCEDURE CHANGE	WORK ORDER CHANGES  STEP PROCEDURE CHANGE  PAR #: Fault Category: NCR:  WORK ORDER NON-CONFORMANCE (  WORK ORDER NON-CONFORMANCE (  STEP Description of NC Section A   Initial   Action Description   Section B   Initial   I	WORK ORDER CHANGES  STEP PROCEDURE CHANGE By  PAR #: Fault Category: NCR: Yes N QA: N/C  WORK ORDER NON-CONFORMANCE (NCR)  STEP Description of NC Section A Initial Action Description Sign &	STEP PROCEDURE CHANGE By Date  PAR #: Fault Category: NCR: Yes No DQ. QA: N/C Close  WORK ORDER NON-CONFORMANCE (NCR)  STEP Description of NC Corrective Action Section B Section B Section A Section A Section Description Sign & Section B	STEP PROCEDURE CHANGE By Date Qty  PAR #: Fault Category: NCR: Yes No DQA: QA: N/C Closed:  WORK ORDER NON-CONFORMANCE (NCR)  STEP Description of NC	WORK ORDER CHANGES  STEP PROCEDURE CHANGE By Date Qty Chief Eng / Prod Mgr  PAR #: Fault Category: NCR: Yes No DQA: Date: QA: N/C Closed: Date: WORK ORDER NON-CONFORMANCE (NCR)  STEP Description of NC Section A Section B Section C Chief Eng / Prod Mgr

DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Section C	Chief Eng	QC Inspector
						1		
		,						
						. •		

NOTE: Date & initial all entries






DESIG	8W	DRAWN BY	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA
CHECK	ED I	APPROVED	DRAWING NO. REV. D.
01123	#	d	D2512 SHEET 1 OF 4
DATE	• • •	<u> </u>	TITLE SCALE
	4.19		BASKET LID ASSEMBLY (350/212) NTS
Α		95.11.21	NEW ISSUE
В		96.05.24	ADDED LATCH CHANNEL & LABEL PLATE

RELEASED

ı	DATE		TITLE							
		4.19	BASKET LID ASSEMBLY (350/212) NTS							
	Α	95.11.21	NEW ISSUE							
	В	96.05.24	ADDED LATCH CHANNEL & LABEL PLATE							
	С	99.07.06	REMOVE DOUBLE SKIN SECTION, ADDED MEMBERS, INCORP. DEO 9074							
	D	01.04.19	CHANGE HINGE							
	DI	d-11 03 01. 20	ADD D2012-117 FOR D130-701-041							
	02	d-cf 04,09.20	TACK WELD ANT-SKID AREA							
٠,	D DOE 10 DACKET LID ASSEMBLY									

PARTS LIST FOR D2512 BASKET LID ASSEMBLY

PART NO	QUANTITY	LENGTH	LENGTH	DESCRIPTION
		Α	В	
D2512-1	2		25.50	RIB
D2512-3	2		95.30	RIB
D2512-5	6	30.84		RIB
D2512-7	3	30.63		RIB
D2232-1	2	N/A	N/A	HINGE PLATE
D2236	4	N/A	N/A	RIB
D2327-1	2	N/A	N/A	BUSHING
D2506	1	N/A	N/A	LABEL PLATE
D2581	2	N/A	N/A	MOUNTING BRKT



SHOP COPY **RETURN TO ENGINEERING** UNCONTROLLED COPY SUBJECT TO AMENDMENT WITHOUT NOTICE WORK ORDER


NO. 26-149B


D2512-1/-3/-5/-7


CUT LENGTH/SHAPE PER DIAGRAM AND PARTS LIST MATERIAL: AISI 304/316 SS, 3/4 X 3/4 X 0.060 WALL SQUARE TUBING TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED ALL DIMENSIONS ARE IN INCHES

Copyright © 1995 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.











DESIGN BW	DRAWN BY	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA		
CHECKED	APPROVED	DRAWING NO. D2512	REV.	-
DATE		TITLE	SCAL	
01.04.19		BASKET LID ASSEMBLY (350/212)	1:	8




DRILL 3/8 HOLE AND INSTALL D2327-1 USING CLOSEST SPACE IN EXPANDED METAL FOR HOLE LOCATION BOTH ENDS

## SECTION C-C SIMILIAR BOTH END RIBS



DETAIL E



SECTION D-D SAME BOTH CENTER RIBS

SHOP COPY RETURN TO WITHOUT NOTICE

Copyright © 1995 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.